AUSPRINT MAC WIFI SETUP GUIDE

Congratulations on your new wireless thermal printer, before continuing, please ensure that you reset your printer to factory settings by pressing the top Feed/LED button 4 times in a row. Once this is done, proceed.

- Step 1. Search 'AUSPRINT' on Mac App Store and download it.
- Step 2. Open the AUSPRINT app and press the 'Settings icon.



Step 3. Select 'WIFI' > Select 'AUSPRINT PRO' > Select 'Back'



Step 4. Press 'Click here to connect printer'



Step 5. Press 'App can't search my WI-FI printer'



Step 6. Press 'YES'



Step 6. Follow the instructions below.






Step 6. Enter your WIFI Name and Password

NOTE - If you enter the wrong details, the app will not tell you and any further steps will not work. If you put in the wrong details, press the top button on the printer 4 times to factory reset it and start the setup again.

Step 7. Follow the instructions below.





Step 8. Press 'Complete' and wait for a test page to be printed.

NOTE - If nothing is printed within 3 minutes of pressing complete, it means that your wifi name/ password or both were incorrect.

To fix this press the top button on the printer 4 times to factory reset it and complete the setup again.

If you are sure of your details and still nothing is being printed, please contact us for support. Step 9. Once connected to the network, your printer will appear in the list. You can now use it via the AUSPRINT app wirelessly or continue to the following steps to add it to your computer.




AUSPRINT DRIVER INSTALLATION


1. Press the 'Download Mac Driver' button

DOWNLOAD MAC DRIVER

2. When prompted with the below message, press 'Allow'




3. Double click on the 'AUSPRINTLabelPrinter...pkg' file




4. Because our driver has not been registered with Apple yet, you could be prompted with the following message



5. Click on the Apple logo > Click on 'System Preferences'



6. Select 'Security & Privacy'




7. Select 'General' > Select 'Open Anyway'




8. If / when prompted with the following message, select 'Open'




9. The installer will open, select 'Continue'




10. When prompted, select 'Install'




11. Enter your computer password (or use Touch ID)



12. The driver should now be successfully installed, Select 'Close'




13. When / If prompted with the following message select 'Move to Bin'




AUSPRINT MAC WIFI SETUP PART 2


- 1. Press Here to download AUSPRINT Mac Wifi Aid
- 2. Open the AUSPRINT Mac Wifi Aid and press on 'LabelPrinter' then > Press 'Configure'



3. Press 'Done'



4. Your printer will have now installed onto your Mac as a wifi printer.



5. Done! Head to our website at AUSPRINT.CO/Drivers and watch the setup tutorial video for Mac for information on how to change your printer speed/darkness settings.